Author Index

Abaelu, A. M., Olukoya, D. K., Okochi, V. I. and Akinrimisi, E. O.
Biochemical changes in fermented melon (egusi) seeds (*Citrullis vulgaris*), 211
Adámek, V., Suchová, M., Demnerová, K., Králová, B., Fort, I. and Morava, P.
Fermentation of *Candida utilis* for uricase production, 85
Akinrimisi, E. O., see Abaelu, A. M., 211
Alaeddinoglu, N. G., see Ozcengiz, G., 91
Araujo, A. and Ward, O. P.
Extracellular mannanases and galactanases from selected fungi, 171
Araujo, A. and Ward, O. P.
Purification and some properties of the mannanases from *Thielavia terrestris*, 269
Arcuri, E. J., see Keller, J., 199

Baczynskyj, L., see Marshall, V. P., 295
Ballerini, D., see Fayolle, F., 179
Bean, R. M., see Stewart, D. L., 53
Beck, M. J., see Taylor, K. B., 29
Belton, A. M., see Dirlam, J. P., 135
Berlier, Y., see Czechowski, M. H., 227
Bhaduri, S., see Smith, J. L., 143
Bhumiratana, A., see Wiwat, C., 19
Bland, J. M., see DeLucca II, A. J., 129
Bordner, J., see Dirlam, J. P., 135
Brinckman, F. E., see Olson, G. J., 49

Carson, D. B. and Cooney, J. J.
Microbodies in fungi: a review, 1
Chang, L. T., McGrory, E. L. and Elander, R. P.
Penicillin production by glucose-derepressed mutants of *Penicillium chrysogenum*, 165
Charles, M., see Eyal, J., 185
Chartrain, M., White, R., Goegelman, R., Gbewonyo, K. and Greasham, R.
Bioconversion of avermectin into 27-OH avermectin, 279
Chatelus, C., see Czechowski, M. H., 227
Chittur, K. K., see Lipkus, A. H., 71
Cialdella, J. I., see Marshall, V. P., 295
Coats, J. H., see Marshall, V. P., 295
Connick Jr., W. J., see DeLucca II, A.J., 129
Converti, A., see Perego, P., 157
Cooney, J. J., see Carson, D. B., 1
Cotter, C. M., see Trevors, J. T., 77
Cullen, W. P., see Dirlam, J. P., 135
Czechowski, M. H. and Rossmoore, H. W.
Purification and partial characterization of a D(−)-lactate dehydrogenase from *Desulfovibrio desulfuricans* (ATCC 7757), 117
Czechowski, M. H., Chatelus, C., Fauque, G., Libert-Coquempot, M. F., Lespinat, P. A., Berlier, Y. and LeGall, J.
Utilization of cathodically-produced hydrogen from mild steel by *Desulfovibrio* species with different types of hydrogenases, 227

D'Amore, T., see Novak, S., 149
DeLucca II, A. J., Connick Jr., W. J., Fravel, D. R., Lewis, J. A. and Bland, J. M.
The use of bacterial alginates to prepare biocontrol formulations, 129
Del Borghi, M., see Perego, P., 157
Del Tito Jr., B. J., see Keller, J., 199
Dell, B. J., see Smith, J. L., 143
Demain, A. L., see Ozcengiz, G., 91
Demnerová, K., see Adámek, V., 85
Dirlam, J. P., Belton, A. M., Bordner, J., Cullen, W. P., Huang, L. H., Kojima, Y., Maeda, H., Nishiyama, S., Oscarson, J. R., Ricketts, A. P., Sakakibara, T., Tone, J. and Yamada, M.
CP-82,966, a novel diglycoside polyether antibiotic related to monensin and produced by *Actinomadura* sp., 135
Doyle, T. W., see Kin Sing Lam, 291

Elander, R. P., see Chang, L. T., 165
Eyal, J. and Charles, M.
Hydration of 3-cyanopyridine to nicotinamide by crude extract nitrile hydratase, 185

Fauque, G., see Czechowski, M. H., 227
Fayolle, F., Marchal, R. and Ballerini, D.
Effect of controlled substrate feeding on butyric acid production by *Clostridium tyrobutyricum*, 179
Ferraiolo, G., see Perego, P., 157
Forenza, S., see Kin Sing Lam, 291
Fort, I., see Adámek, V., 85
Fravel, D. R., see DeLucca II, A. J., 129
Fredrickson, J. K., see Stewart, D. L., 53

Gbewonyo, K., see Chartrain, M., 279
Gerber, R., see Keller, J., 199
Gilbert, J. N., see Horowitz, S., 243
Glick, B. R., see Wolff, B. R., 285
Goegelman, R., see Chartrain, M., 279
Greasham, R., see Chartrain, M., 279
Griffin, W. M., see Horowitz, S., 243
GrootWassink, J. W. D., see Kin Sing Lam, 207

Hallas, L. E., see McAuliffe, K. S., 219
Hogan, C. M. and Mes-Hartree, M.
Recycle of cellulases and the use of lignocellulosic residue for enzyme production after hydrolysis of steam-pretreated aspenwood, 253
Horowitz, S., Gilbert, J. N. and Griffin, W. M.
Isolation and characterization of a surfactant produced by *Bacillus licheniformis* 86, 243

Huang, D. H., see Taylor, K. B., 29
Huang, L. H., see Dirlam, J. P., 135

Igarashi, Y., Yagami, K., Imai, R. and Watanabe, S.
Antimicrobial activities of some *N*-alkylmaleimides, 223
Imai, R., see Igarashi, Y., 223

Keller, J., Gerber, R., Del Tito Jr., B. J., Vannicolo, D. and Arcuri, E. J.
Effects of mutations altering SOS regulation on a nalidixic acid-inducible system for the production of heterologous proteins in *Escherichia coli*, 199
Kin Sing Lam and GrootWassink, J. W. D.
Enzymatic digestion of spent yeast cells for nutrient recycling in inulase production, 207
Kin Sing Lam, Forenza, S., Doyle, T. W. and Pearce, C. J.
Identification of indolepyruvic acid as an intermediate of rebeccamycin biosynthesis, 291
Kojima, Y., see Dirlam, J. P., 135
Králová, B., see Adámek, V., 85
Kuhn, S. P. and Pfister, R. M.
Accumulation of cadmium by immobilized *Zoogloea ramigera* 115, 123
Kulpa, C. F., see McAuliffe, K. S., 219
Kurantz, M. J., see Wessinger, E. W., 191

LeGall, J., see Czechowski, M. H., 227
Lespinat, P. A., see Czechowski, M. H., 227
Lewis, J. A., see DeLucca II, A. J., 129
Liaw, H. J. and Srinivasan, V. R.
Biodegradation od diphenyl ethers by a copper-resistant mutant of *Erwinia* sp., 235
Libert-Coquempot, M. F., see Czechowski, M. H., 227
Liggett, W. F., see Marshall, V. P., 295
Lipkus, A. H., Chittur, K. K., Vesper, S. J., Robinson, J. B. and Pierce, G. E.
Evaluation of infrared spectroscopy as a bacterial identification method, 71

Maeda, H., see Dirlam, J. P., 135
Marchal, R., see Fayolle, F., 179
Marshall, V. P., Coats, J. H., Baczynskyj, L., Cialdella, J. I., Liggett, W. F. and McGee, J. E.
Purification of macrolide 2′-phosphotransferase from *Streptomyces coelicolor* Müller, 295
McAuliffe, K. S., Hallas, L. E. and Kulpa, C. F.
Glyphosate degradation by *Agrobacterium radiobacter* isolated from activated sludge, 219
McGee, J. E., see Marshall, V. P., 295
McGrory, E. L., see Chang, L. T., 165
Mes-Hartree, M., see Hogan, C. M., 253
Mitsuoka, T.
Bifidobacteria and their role in human health, 263
Morava, P., see Adámek, V., 85

Nelson, R. A., see Pope Jr., J. A., 61
Nishiyama, S., see Dirlam, J. P., 135
Novak, S., D'Amore, T., Russell, I. and Stewart, G. G.
Characterization of sugar transport in 2-deoxy-D-glucose resistant mutants of yeast, 149

O'Brien, D. J., see Wessinger, E. W., 191
Oh, K.-H. and Tuovinen, O. H.
Degradation of 2,4-dichlorophenoxyacetic acid by mixed cultures of bacteria, 275
Okochi, V. I., see Abaelu, A. M., 211
Olson, G. J., Sakai, C. K., Parks, E. J. and Brinckman, F. E.
Bioleaching of cobalt from smelter wastes by *Thiobacillus ferrooxidans*, 49
Olukoya, D. K., see Abaelu, A. M., 211
Oscarson, J. R., see Dirlam, J. P., 135
Ozcengiz, G., Alaeddinoglu, N. G. and Demain, A. L.
Regulation of biosynthesis of bacilysin by *Bacillus subtilis*, 91

Palazzi, E., see Perego, P., 157
Panbangred, W., see Wiwat, C., 19
Pandey, R. C., see Pope Jr., J. A., 61
Parks, E. J., see Olson, G. J., 49
Pasternak, J. J., see Wolff, B. R., 285
Payne, G. F., see Wallace, K. K., 43
Pearce, C. J., see Kin Sing Lam, 291
Perego, P., Converti, A., Palazzi, E., Del Borghi, M. and Ferraiolo, G.
Fermentation of hardwood hemicellulose hydrolysate by *Pachysolen tannophilus*, *Candida shehatae* and *Pichia stipitis*, 157
Pfister, R. M., see Kuhn, S. P., 123
Pierce, G. E., see Lipkus, A. H., 71
Pope Jr., J. A., Nelson, R. A., Schaffner, C. P., Rosen, R. T. and Pandey, R. C.
Applications of thin layer chromatography, high performance liquid chromatography and mass spectrometry in the fermentation and isolation of the antibiotic nybomycin, 61

Ricketts, A. P., see Dirlam, J. P., 135
Robinson, J. B., see Lipkus, A. H., 71
Rosen, R. T., see Pope Jr., J. A., 61
Rossmoore, H. W., see Czechowski, M. H., 117
Roundy, C. A., see Titus, J. A., 215
Russell, I., see Novak, S., 149

Sakai, C. K., see Olson, G. J., 49
Sakai, T. T., see Taylor, K. B., 29
Sakakibara, T., see Dirlam, J. P., 135
Schaffner, C. P., see Pope Jr., J. A., 61
Smith, J. L., Dell, B. J. and Bhaduri, S.
Effect of selective media on loss of congo red binding in *Shigella flexneri*, 143
Speedie, M. K., see Wallace, K. K., 43
Srinivasan, V. R., see Liaw, H. J., 235
Stewart, D. L., Thomas, B. L., Bean, R. M. and Fredrickson, J. K.
Colonization and degradation of oxidized bituminous and lignite coals by fungi, 53
Stewart, G. G., see Novak, S., 149
Suchová, M., see Adámek, V., 85
Szentirmai, A.
Microbial physiology of sidechain degradation of sterols, 101

Taylor, K. B., Beck, M. J., Huang, D. H. and Sakai, T. T.
The fermentation of xylose: studies by carbon-13 nuclear magnetic resonance spectroscopy, 29
Thomas, B. L., see Stewart, D. L., 53
Titus, J. A. and Roundy, C. A.
Improvement of glidobactin A production by *Polyangium brachysporum*, 215
Tone, J., see Dirlam, J. P., 135
Traxler, R. W. and Wood, E. M.
Bioaccumulation of metals by Coryneform SL-1, 249
Trevors, J. T. and Cotter, C. M.
Copper toxicity and uptake in microorganisms (Review), 77
Tuovinen, O. H., see Oh, K.-H., 275

Vannicolo, D., see Keller, J., 199
Vesper, S. J., see Lipkus, A. H., 71

Wallace, K. K., Payne, G. F. and Speedie, M. K.
Ammonium effects on streptonigrin biosynthesis by *Streptomyces flocculus*, 43
Ward, O. P., see Araujo, A., 171
Ward, O. P., see Araujo, A., 269
Watanabe, S., see Igarashi, Y., 223
Wessinger, E. W., O'Brien, D. J. and Kurantz, M. J.
Identification of fungi for sweet whey permeate utilization and eicosapentaenoic acid production, 191
White, R., see Chartrain, M., 279
Wiwat, C., Panbangred, W. and Bhumiratana, A.
Transfer of plasmids and chromosomal gene amongst subspecies of *Bacillus thuringiensis*, 19
Wolff, B. R., Glick, B. R. and Pasternak, J. J.
DNA sequence analysis of endoglucanase genes from *Pseudomonas fluorescens* subsp. *cellulosa* and *Pseudomonas* sp. NCIB 8634, 285
Wood, E. M., see Traxler, R. W., 249

Yagami, K., see Igarashi, Y., 223
Yamada, M., see Dirlam, J. P., 135

Subject Index

Achromobacter, 219
Actinomadura sp. (ATCC 53764), 135
Activated sludge, 219
Adsorption, 123
Agrobacterium, 219
N-Alkylmaleimide, 23
Amidase activity, 185
Antibacterial activity, 223
Antibiotic, 91
Anticoccidial agent, 135
Antifungal activity, 223
Antimicrobial activity, 223
α_1-Antitrypsin, 199
Antitumor antibiotic, 215, 291
Arthrobacter, 207
Aspenwood, steam-exploded, 253
Avermectin, 279

Bacillus, 211
Bacillus subtilis, 91
Bacillus thuringiensis, 19
Bacilysin, 91
Bacterial alginate, 129
Bacterial identification, 71
Bifidobacterium, 263
Biocontrol formulation, 129
Bioconversion, 279
Biodegradation, 219, 235, 275
Bioinsecticide, 19
Biological control, 129
Biosolubilization, 53
Biosurfactant, 243
Biosynthesis, 91, 291
Biotransformation, 101
Bituminous coal, 53
Brevibacterium R-312, 185
Butyrate production optimisation, 179

Cadmium, 123
Candida shehatae, 29
Candida utilis, 85
Catabolite derepression, 149
Catalase, 1
Cellulase, 285
Cellulase production, 253
Cobalt, 49
Cofactor, 77
Congo red binding, 143
Conjugation-like gene transfer, 19
Copper, 77
Copper-resistance mechanisms, 77
Copper-resistant mutant, 235
Corrosion, 227
Coryneform, 249
Curing, 143

Degradation of phytosterols, 101
Deoxynybomycin, 61
Desulfovibrio, 227
Desulfovibrio desulfuricans, 117
2,4-Dichlorophenol, 275
2,4-Dichlorophenoxyacetic acid, 275
Diphenyl ether, 235

Endoglucanase, 285
Enzyme, 1
EPA, 191
Erwinia sp., 235
Ethanol, 29
Ethanol production, 157
Expression vector, 199

Fatty acids, 211
Fed-batch, 179
Fermentation, 29, 61, 199, 215, 279
Fermentation control, 179
Fermentation kinetics, 85
Fermentation selectivity, 179
Food condiments, 211
Fungal microbody, 1
Fungus, 19

Galactanase, 171
Gene sequence, 285
Gliding bacterium, 215
Glidobactin A, 215
Glucose, 149
Glucose repression, 165
Glyoxysome, 1
Glyphosate degradation, 219

Hemicellulase, 269
High performance liquid chromatography, 61
Human disease, 263
Human health, 263
Hydration mathematical models, 185
Hydrocarbon, 1
Hydrogen, cathodically produced, 227
Hydrogenase, 227

Immobilization, 123
In vitro, 211
Indolepyruvic acid, 291
Inducer of uricase production, 85
Induction of catabolic enzymes, 101
Infrared spectroscopy, 71

Intestinal flora, 263
Ionophore, 135
Iron, 227
Iron sulfide, 227

Kelp alginate, 129
Kluyveromyces fragilis, 207

D(–)-Lactate dehydrogenase, 117
Lactose, 191
Leaching, 49
Lichenysin, 243
Lignocellulosic waste, 157
Lipopeptide, 215, 243

Macrolide 2′-phosphotransferase, 295
Malaria vaccine, 199
Maltose, 149
Mannanase, 171, 269
Mannosidase, 171, 269
Mass spectrometry, 61
Melon, 211
Membrane-bound protein, 117
Metal accumulation, 249
Metal recovery, 49
Microbody, 1
Microorganisms, 77
Minimum inhibitory concentration, 223
Mixed culture, 275
Mycobacterium, 101

Nitrile hydratase activity, 185
Nitrile hydratase half-life, 185
Nitrogen regulation, 43
NMR, 29
Nocardia, 279
Nybomycin, 61
Nybomycin acetate, 61

Oleandomycin, 295
Optimization study, 157

Pachysolen tannophilus, 29
Penicillin fermentation, 165
Penicillium sp., 53
Penicillium chrysogenum, 165
Peroxisome, 1
pH, 211
Phage λp_L promoter, 199
Phenoxy herbicide, 275
Phosphorylation, 295
Pichia stipitis, 29
Plant pathogen, 129
Plasmid, 143
Polyunsaturated fatty acid, 191
Preservative, 223
Prevention of cancer, 263

Protein, 211
Rebeccamycin, 291
Recombinant DNA, 199
Regulation, 91
Resting cell, 249

Saccharomyces, 149
Saccharothrix aerocolonigenes, 291
Secondary metabolite, 43
Sequencing batch reactor, 219
Shigella flexneri, 143
Shikimic acid pathway, 43
Sidechain cleavage of sterols, 101
Smelter waste, 49
Strain selection, 165
Strategic material, 49
Streptomyces, 43
Streptonigrin, 43
Sulfate-reducing bacterium, 117
Surface colonization, 53
Surfactin, 243

Talaromyces, 171
Thermoascus, 171
Thielavia, 171
Thielavia terrestris, 269
Thin layer chromatography, 61
Thiobacillus ferrooxidans, 49
Toxicity, 77
Trichoderma harzianum, 253

Uricase production, 85

Virulence, 143

Wheat flour hydrolysate, 179

Xylose, 29

Yeast, 157
Yeast lytic enzyme complex, 207

Zoogloea ramigera, 123